



UA  
927  
7457

# Chemical Warfare Agents

REFERENCE AND TRAINING CHART

PREPARED BY U. S. OFFICE OF CIVILIAN DEFENSE, JANUARY, 1943



CLASS	NAME	CWS SYMBOL NICKNAME	METHODS OF DISSEMINATION	PERSISTENCY	ODOR	RELEASED FORM	PHYSIOLOGICAL EFFECT	PROTECTION*	DECONTAMINATION	SELF-AID
VESICANTS	MUSTARD	HS Hot Stuff		3-4 days in open 1 week in woods, several weeks in winter		Dark, oily liquid slowly evaporates	No immediate effect; liquid or vapor burns and blisters skin and lungs; eye irritation		Use bleaching powder alone or mixed with water or earth, hypochlorite solution, green solution† steam, heat, or solvents	<ol style="list-style-type: none"><li>Most injury from gas can be prevented if air raid instructions and certain simple self-aid rules are followed.</li><li>If exposed to gas:<ol style="list-style-type: none"><li>Act promptly and quietly. Be calm.</li><li>Remain indoors or go indoors, unless official duties require one to stay outside.</li><li>If exposed to vesicants, speed in treatment is important.<ol style="list-style-type: none"><li>If outside and contaminated, remove outer clothing.</li><li>Go indoors, remove under-clothing and blot up liquid gas on skin with small piece of cloth. Blot, do not rub. Put clothes in covered can.</li><li>If eyes are splashed with liquid vesicant and not more than five minutes have elapsed, irrigate eyes with large amounts of 2% baking soda solution (tablespoonful to a quart of water) or with water if soda is not immediately available.</li><li>If materials are available apply household bleaching solution (sodium hypochlorite) to areas contaminated with mustard gas; hydrogen peroxide to lewisite contaminated areas. Bleach is also effective against lewisite.</li><li>Bathe freely with soap and water, rinse frequently, preferably under shower.</li><li>Wash nose and throat with baking soda solution.</li></ol></li></ol></li><li>If exposed to vesicants and lung irritants, or if in doubt, regarding gas to which exposed, perform steps under 3 and 4.</li><li>Particles of white phosphorus coming in contact with the skin should be kept covered with water or if available, 2%-5% copper sulphate (blue vitriol) solution may be applied, until medical attention is available.</li><li>Notify air raid warden who will summon necessary medical aid.</li></ol>
	LEWISITE	M-1 Mean One		1 day in open, 2-3 days in woods, 1 week or more in winter		Dark, oily liquid slowly evaporates	Immediately irritates nasal passages; later burns skin and eyes; arsenic poisoning		Water flush or use bleaching powder alone or mixed with water or earth, hypochlorite solution, green solution† steam, heat or solvents	
	ETHYLDI-CHLORARSINE	ED Enemy's Delight		1-2 hours in open, 2-6 hours in woods, longer in winter		Clear, oily liquid evaporates at medium rate			Cover with earth; use bleaching powder	
LUNG IRRITANTS	CHLORPICRIN	PS Puking Stuff		1 hour in open, 4 hours in woods, longer in winter		Colorless, oily liquid evaporates rapidly	Lung damage; causes severe coughing, crying, nausea, vomiting		Sodium sulphite solution in alcohol	
	DIPHOSGENE	DP Di-Phos		30 minutes		Oily liquid evaporates rapidly	Lung damage; causes coughing, lung pains, difficult breathing; highly toxic; eyes water; effects may be delayed		None needed	
	PHOSGENE	CG Choky Gas		1-10 minutes		Colorless gas			None needed	
	CHLORINE	CL Chlorine		1-5 minutes		Yellow-green gas			None needed	
LACRIMATORS	BROMBENZYL-CYANIDE	CA Cry Always		Several days (weeks in winter)		Dark, oily liquid slowly evaporates	Eyes smart and close; copious flow of tears; skin irritation; temporary effect headaches		Cover with earth or wash with lime slurry	
	CHLORACETO-PHENONE	CN Cry Now		While burning		Gas or smoke			None needed	
	TEAR GAS SOLUTIONS	CNS or CNB		1 hour in open, 2 hours in woods, longer in winter		Liquid, which evaporates			None needed	
IRRITANT SMOKES	ADAMSITE	DM Dirty Mixture		10 minutes		Yellow smoke			None needed	
	DIPHENYL-CHLORARSINE	DA Dopey Ache		10 minutes		Fine white smoke	Causes sneezing, nausea, sick depressed feeling, temporary		None needed	
	DIPHENYL-CYANARSINE	CDA		10 minutes		Fine smoke			None needed	
INCENDIARIES	MAGNESIUM	MG		While burning		Molten and burning metal			Control fires with water; control bombs with water	
	THERMIT	TH The Heat		While burning		Molten iron	Causes severe burns		Burns out; cannot be smothered or extin- guished by water; control fires with water	
	THICKENED GASOLINE	None		While burning		Burning particles			Control fires	
SCREENING SMOKES	HC MIXTURE	HC Harmless Cloud		While burning		Grayish smoke	Harmless		None needed	
	TITANIUM TETRACHLORIDE	FM Floating Mantel		10 minutes		Dense white smoke	Harmless		None needed	
	SULPHUR TRIOXIDE In Chlorsulphonic Acid	FS Fuming Spray		10 minutes		Dense white smoke	Causes pricking of skin; makes eyes water; causes coughing		None needed	
	WHITE PHOSPHORUS ‡	WP White Phos		While burning		Burns in air to a dense white smoke	Smoke is harmless, but burning par- ticles cause very severe burns		Burns out; control by immersion in water; keep wet	

## KEY



\*Gas mask and/or protective clothing needed only by persons whose duties require them to remain in gassed areas.

†Green solution prepared by dissolving 1 lb. bicarbonate of soda in 1 gal. of commercial household bleach solution. Must be freshly prepared when needed.

‡Note three-fold effect of white phosphorus as a (1) screening agent, (2) casualty agent, (3) incendiary.



UA  
927  
8457

BOX ITEM